# just impre

### Just and reasonable.

Our general conditions of sale and delivery.

#### 1. Prices

All quotations will be understood in EUR, without added value tax, EXW Remscheid, excluding package, if not contrary agreed.

#### 2. Placing and order

For all documents like drawings, sketches, samples etc. the client undertakes the full responsibility.

### 3. Terms of delivery

Fundamentally all named delivery times are without any obligation. Fines or amends on reason of the above named points are excluded.

#### 4. Terms of payment

In case no other terms have been agreed, payment has to be made net, latest after 30 days from the date of our invoice, or immediately with a discount of 2%. For all orders with a volume less than 25,- EUR, we charge an additional amount of 10,- EUR.

#### 5. Conditional sale

The ownership of all delivered items remains at the supplier, until the complete amount of the invoice, which refers to the mentioned items, has been transferred completely.

#### 6. Warranty for defects

For every item, delivered by our company, we grant full warranty. If any item has a demonstrable defect, we will deliver replacement immediately free of charge. We will not deliver any replacement for items, which became useless because of an inappropriate use, wrong storage, natural attrition or alterations after receipt. Complaints have to be asserted latest 8 days after receipt of shipment.

#### 7. Consignment

In case no other terms have been agreed, the dispatch happens on account and risk of the consignee.

#### 8. Redelivery and exchange

Redelivery and exchange of any items can only be accepted with our expressed agreement and provides a consignment carriage paid. Credit-notes, issued by our company, will not be transferred and can only be charged with further deliveries.

#### 9. Place of performance and competency of court


In all cases the place of performance and competency of court is Remscheid.

### 10. Prices

In all cases the prices of our actual price lists are valid. All price lists issued before become invalid.

#### 11. Final clause

All arriving orders will be succumbed to the above named conditions. By placing an order, the client accepts our general conditions of sale and delivery. All other instructions in orders and inquiries are without any obligation and will not be accepted by us.







### Future has origin. Our story of success.

In times of still getting faster and faster communication, permanent text information strikes very much. No wonder that there are ranges of applications, which still require a high level of permanence and precision in the transmission of messages. There are good reasons, why they have a long and bright tradition. At the pyramids of Gizeh you can find impressive examples of old Egyptian hieroglyphs, preserved for more than 1000 years and derived essentially from simple symbols.

In this sense we, at the **Heidenpeter GmbH & Co. KG**, manufacture steel stamps and marking tools since 1932, without disregarding a view into the future. Our products are the result of long experience, highest precision and permanent technical improvement as well, as of a constant top quality. We are the only company, which is able to manufacture sets of steel stamps according to DIN 7353 in mass production.

We are inspired by our clients. They tell us about their objectives and imaginations. Considering them, we develop a common aim in dialogue. Faithful, open-minded and calculable.

No matter, if the subject is a standard item from our wide range of products, or if difficult problems of an individual project have to be solved – as an approved partner of the industry, we rely on our high qualified team of employees, who take the demands of our clients very serious. Success is guaranteed and measurable.

The potential range of applications for our steel stamps and marking tools is immense. In fact **Heidenpeter**-products have been effective approved especially in the automotive industry and the moldmaking and tooling. For branded marks, for example on Europallets, our branding irons are highly recommended.

There are good reasons, why the **Heidenpeter GmbH & Co. KG** is one of the worldwide leading companies of its kind. The use of all contemporary technologies ensures the presence on the German and international market and promotes the cooperation with successful exporters and importers. Especially in the Far East our brand "GRAVUREM" is comparatively unsurpassed famous in this region.


Modern logistic and continuous warehousing ensure the immediate availability of almost all items.

### The signs of the times are clear.

The name **Heidenpeter GmbH & Co. KG** guarantees a reasonable teamwork of transparency, economy and innovation and ensures a common and positive future for all participants of the economical process.



G⊾
















### **GRAVUREM**

Sets of numbers and letters in six different styles and qualities.

# **GRAVUREM-S**

Steel stamps for marking of material with a strength of 600-800 N/mm<sup>2</sup>. Type of characters acc. to DIN 1451.

The stamps are made out of bright drawn tool steel in silky-dulled design.

Each punch is marked with: 1. The character

- 2. Size of character
- 3. "MADE IN GERMANY"
- 4. The international eye protection symbol

### Hardness at the engraving: 58-60 HRC.

Up to 15 mm size of characters in unbreakable blue plastic boxes.

Item			
No. 100	Set of numbers 0-9		= 9 pcs.
No. 101	Set of capital letters fr	om A-Z + symbol &	= 27 pcs.
No. 102	Set of small letters from Right-hand engraved	n a-z + symbol . (full stop	) = 27 pcs.
No. 103	Set of numbers 0-9		= 9 pcs.
No. 104	Set of capital letters fr	rom A-7 + symbol &	= 27 pcs.
No. 105		n a-z + symbol . (full stop	
			, <u> </u>
Size of character mm	□ x L mm	d <b>۵ 0-9</b>	۵۵ A-Z
Size of character him	Ψ . Ε ΙΙΙΙΙΙ	66.0-5	00 A-2
1-3	6 x 65	150g	500g
4	7 x 65	200g	600g
5	8 x 65	300g	800g
6	9 x 75	400g	1200g
7	11 x 76	600g	1850g
8	11 x 76	600g	1850g
10	12 x 80	800g	2300g
12	14 x 80	1100g	3100q
15	16 x 85	1500g	4300g





### **GRAVUREM Nr. 1** extra-extra

**Steel stamps for the marking of material with a strength of approx. 1200 N/mm<sup>2</sup>.** Type of characters acc. to DIN 1451.

The stamps are made out of bright drawn tool steel in silky-dulled design.

Kennzeichnung des Stempelsatzes:

- 1. The character
- 2. Size of character
- 3. "MADE IN GERMANY"
- 4. The international eye protection symbol

### Hardness at the engraving: 58-60 HRC.

Up to 15 mm size of characters in unbreakable blue plastic boxes.

Item			
No. 110	Set of numbers 0-9		= 9 pcs.
No. 111	Set of capital letters	from A-Z + symbol &	= 27 pcs.
No. 112	Set of small letters fo	orm a-z + symbol . (full sto	p) = 27 pcs.
	Right-hand engraved		
No. 113	Set of numbers 0-9		= 9 pcs.
No. 114	Set of capital letters	from A-Z + symbol &	= 27 pcs.
No. 115	Set of small letters from	om a-z + symbol . (full sto	p) = 27 pcs.
Circu of shows the second		<b></b>	A 7
Size of character mm	ф х L mm	ላይ 0-9	∆∆ A-Z
1-2,5	7 x 75	250g	750g
3	8 x 75	300g	1000g
4	9 x 80	450g	1300g
5	10 x 80	550g	1600g
6	12 x 85	800g	2400g
7	14 x 14 x 90	1200g	3500g
8	14 x 90	1200g	3500g
10	16 x 90	1500g	4500g
12	18 x 100	2200g	6400g
15	18 x 100	2200g	6400g

### **GRAVUREM-Special**

Steel stamps with hardened and tempered stamping heads, for highest demands in silky-dulled design.

Manufactured acc. to DIN 7353 / Type of characters acc. to DIN 1451 (narrow). QUALITY GUARANTEE


Each punch is marked with:

- 1. The character
- 2. Size of character
- 3. SCHLAGKOPFVERGÜTET
- 4. The international eye protection symbol

Hardness at the engraving:58-60 HRC.Hardness at the stamping head:38-46 HRC.

Up to 15mm size of characters in unbreakable blue plastic boxes.

It	em		
N	o. 120	Set of numbers 0-9	= 9 pcs.
N	o. 121	Set of capital letters from A-Z + symbol &	= 27 pcs.
N	o. 122	Set of small letters from a-z + symbol . (full stop)	= 27 pcs
		Right-hand engraved	
N	o. 123	Set of numbers 0-9	= 9 pcs.
N	o. 124	Set of capital letters from A-Z + symbol &	= 27 pcs.
N	o. 125	Set of small letters from a-z + symbol . (full stop)	= 27 pcs.





Size of character mm	щхстт	44 <b>U-9</b>	00 A-Z	
1-2,5	7 x 75	250g	750g	
3	8 x 75	300g	1000g	
4	9 x 80	450g	1300g	
5	10 x 80	550g	1600g	
6	12 x 85	800g	2400g	
7	14 x 14 x 90	1200g	3500g	
8	14 x 90	1200g	3500g	
10	16 x 90	1500g	4500g	
12	18 x 100	2200g	6400g	
15	18 x 100	2200g	6400g	
				04 05
				offee

### **GRAVUREM-T**

Steel stamps with hardened and tempered stamping heads and an impression with controlled depth, in silky-dulled design.

Type of characters acc. to DIN 1451 (middle). QUALITY GUARANTEE

Each punch is marked with: 1. The character

- 2. Size of character
- 3. SCHLAGKOPFVERGÜTET

4. The international eye protection symbol

Hardness at the engraving:58-60 HRC.Hardness at the stamping head:38-46 HRC.

Up to 10mm size of characters in unbreakable blue plastic boxes.

Item			
No. 130	Set of numbers	0-9	= 9 pcs.
No. 131	Set of capital l Right-hand eng	etters from A-Z + symbol & graved	= 27 pcs.
No. 133	Set of numbers	0-9	= 9 pcs.
No. 134	Set of capital l	etters from A-Z + symbol &	= 27 pcs.
Sice of character mm	□ x L mm	۵۵ 0-9	<b>۵۵ A-Z</b>
Sice of character min	Ψ × Ε ιιιιι	000-9	OC A-L
1-3 4 5 6	7 x 75 8 x 78 9 x 80 11 x 80	250g 300g 400g	750g 950g 1300g 1900g
		650g	5
8	12 x 85	800g	2400g
10	14 x 90	1200g	3600g

### **GRAVUREM-R**

Steel stamps with low-stress engraving and hardened and tempered stamping heads, in silky-dulled design.

Hardness at the engraving:58-60 HRC.Hardness at the stamping head:38-46 HRC.

Up to 10mm size of characters in unbreakable blue plastic boxes.

The low-stress engraving (r=0,3 up to r=0,6 mm depending on the size of character) avoids every damage of the material and every effect of slot-punching (acc. to ASME-Standard).

Especially suited for marking of high charged components like tanks, gas-pipes, welding seams, high pressure pipes, turbines, thin sheets etc..

Also suitable for the marking of soft materials like aluminium, brass, lead, plastics, wood, leather and cardboard.

Item		
No. 140	Set of numbers 0-9	= 9 pcs.
No. 141	Set of capital letters from A-Z + symbol &	= 27 pcs.





Size of character min	ΨΧΕ	220-9	55 A-L	
2	7 x 75	300g	800g	
3	8 x 75	350g	1000g	
4	9 x 78	500g	1300g	
5	10 x 78	600g	1600g	
6	12 x 84	850g	2400g	
8	16 x 90	1600g	4600g	
10	16 x 90	1600g	4600g	

# **GRAVUREM-RP**

Steel stamps with low-stress-dot-style engraving and hardened and tempered stamping heads, in silky-dulled design.

Hardness at the engraving:58-60 HRC.Hardness at the stamping head:38-46 HRC.

Up to 10mm size of characters in unbreakable blue plastic boxes.

Item				
No. 143	Set of numbers 0-9	9	= 9 pcs.	
No. 144	Set of capital lette	ers from A-Z + symbol &	= 27 pcs.	
	± .	÷ • •		
Size of character mm	фхLmm	ላጋ 0-9	<b>A-Z</b>	
2	7 x 75	300g	800g	
3	8 x 75	350g	1000g	
4	9 x 78	500g	1300g	
5	10 x 78	600g	1600g	
6	12 x 84	850g	2400g	
8	16 x 90	1600g	4600g	
			1000	
	16 x 90	1600g	4600g	





# **GRAVUREM-Hand Stamps**

Steel stamps for individual requirements.

Manufactured acc. to DIN 7353. Type of character acc. to DIN 1451.

Made out of high quality tool steel in silky-dulled design.

Engravings as combinations of numbers and/or letters.

Logos and brands can be engraved in sharp or outline pattern according to your specifications. Right-hand, 2-line and low-stress engravings or engravings in a certain radius are also possible.

Measurements of shanks and width of impressions acc. to the following table:

**Item** No. 150



Size of	quantity of typ	es (measurements	s of shanks and wi	dth of impression	is)					Type DIN 1451
character	2	3	4	5	6	7	8	9	10	
2 mm	8 x 8 x 70 3,3	9 x 9 x 75 5,3	10 x 10 x 80 7,3	12 x 8 x 80 9,3	16 x 10 x 85 11,3	16 x 10 x 85 13,3	20 x 10 x 90 15,3	20 x 10 x 90 17,3	25 x 10 x 95 19,3	medium
3 mm	9 x 9 x 75 5	12 x 8 x 80 8	16 x 10 x 85 11	20 x 10 x 90 14	20 x 10 x 90 17	25 x 10 x 95 20	25 x 10 x 95 23	30 x 10 x 100 26	40 x 10 x 100 29	medium
4 mm	10 × 10 × 80 5,1	12 x 8 x 80 8,4	16 x 10 x 85 11,6	20 x 10 x 90 14,9	25 x 10 x 95 18,2	25 x 10 x 95 21,5	30 x 10 x 100 24,8	40 x 12 x 100 28,1	40 x 12 x 100 31,4	medium-narrow
5 mm	11 × 11 × 80 6,3	16 x 10 x 85 10,3	20 x 10 x 90 14,3	25 x 10 x 95 18,3	25 x 10 x 95 22,3	30 x 10 x 100 24,3	40 x 12 x 100 28,3	40 x 12 x 100 32,3	40 x 12 x 100 36,3	medium-narrow
6 mm	12 × 12 × 85 6,0	16 x 10 x 85 10	20 x 10 x 85 14	25 x 10 x 90 18	25 x 10 x 95 22,5	30 x 10 x 100 26	40 x 12 x 100 31	40 x 12 x 100 36	50 x 15 x 100 40	narrow
8 mm	14 x 14 x 90 8	16 x 16 x 95 13	25 x 15 x 100 18,5	30 x 15 x 100 24	40 x 15 x 100 30	40 x 15 x 100 34,5	50 x 15 x 110 41	50 x 15 x 110 47,5	60 x 15 x 110 52,5	narrow
10 mm	16 × 16 × 90 10	20 x 15 x 100 17	30 x 15 x 100 24	40 x 15 x 100 30	40 x 15 x 100 37,5	50 x 15 x 110 43	60 x 15 x 110 52	70 x 20 x 110 59,5	40 x 20 x 110 66	narrow

# **GRAVUREM-Control Stamps**

Style and quality similar to GRAVUREM-Hand stamps.

Hand stamps for the individual marking and identification through simple symbols.


# **GRAVUREM-Welder's Control Stamps**

Style and quality similar to GRAVUREM-Hand stamps.

Hand stamps with combinations of letters and/or numbers in round, triangle, rectangle, square or oval frame.

Examples of impressions:

Examples of impressions:



# GRAVUREM

Hand and control stamps.

# GRAVUREM

Engraved Dies.

# **GRAVUREM-Engraved Dies**

Steel stamps for mechanical use suitable for all industrial applications.

Bodies of stamps manufactured acc. to your requirements (sketch, sample ordrawing) engraving with highest precision acc. to your specifications.

In house expertise and experience in selection and heat treatment of appropriate tool steel.



**GRAVUREM** Type Holder and Types.





# **GRAVUREM-Type Holder**

Light edition, nickel-plated style (rustproof).

Available for manual use (tempered stamping head) or mechanical use (shank for installation in a press).

Locking of the types by pressure of a Philips-screw at the side.

The capacity of types is variable and will be manufactured acc. to your specifications.





# **GRAVUREM-Types**

suitable for GRAVUREM-Type Holder (light edition).

Manufactured out of alloy tool steel, nickel plated (rustproof).

Hardness: 58-60 HRC.

**Item** No. 161


Measurements of types in **Standard- or European-Norm** acc. to the following table:

 
 Standard Norm Size of character mm
 European Norm measurements mm

 1
 1,5 x 4 x 15

 2
 2 x 4 x 15

 2
 2 x 4 x 15





# **GRAVUREM-Type Holder**


### Heavy edition, nickel-plated style (rustproof).


Available for manual use (handle with exchangeable punching cap) or mechanical use (shank for installation in a press).


Types are fixed by a locking-pin.

**Item** No. 162

The capacity of types is variable and will be manufactured acc. to your specifications.







# **GRAVUREM-Types**

Suitable for GRAVUREM-Type Holder (heavy edition).

Manufactured out of alloy tool steel, nickel plated (rustproof).

The types are provided with a radius-slot at the side for locking.

### Hardness: 58-60 HRC.

Measurements of types acc. to the following table:

Iter	
No.	163

Size of character mm	measurements mm
2	3 x 6 x 32
3	3 x 6 x 32
4	4 x 8 x 32
5	4 x 8 x 32
6	5 x 10 x 32
8	5 x 10 x 32
10	6 x 12 x 32
12	8 x 15 x 32
15	10 x 20 x 32





# **GRAVUREM-Standard Type Set**

Assortment of type stamps with a size of character from 1 up to 5mm, and a type holder for manual use (tempered stamping head) and a capacity of 8 pieces, in an unbreakable plastic box.

All pieces are nickel-plated (rustproof).


Content: 50 pcs. Types 0-9 (5 pcs. each) 5 pcs. Blank Spacer

Item

No. 164	
Standard Norm Size of character mm	measurements mm
1,0	1,5 x 4,0 x 15,0
2,0	2,0 x 4,0 x 15,0
3,0	3,0 x 6,0 x 20,0
4,0	3,0 x 6,0 x 20,0
5,0	4,0 x 8,0 x 25,0







# **GRAVUREM-Eurotype Fount Set**

GRAVUREM-Eurotype Fount Set Assortment of type stamps with a size of character from 1 up to 5mm, and a type holder for manual use (tempered stamping head) or mechanical use (shank for installation in a press), in an unbreakable plastic box.


All pieces are nickel-plated (rustproof).

Content: 100 pcs. Types A-Z und 0-9, / slash, . full stop,

- - , comma hyphen and blank spacers.

**Item** No. 165

European norm Size of character mm	content	measurements mm
1,0	19 pcs.	1,5 x 4,0 x 19,0
1,5	19 pcs.	1,5 x 4,0 x 19,0
2,0	14 pcs.	2,0 x 4,0 x 19,0
2,5	15 pcs.	2,5 x 6,0 x 19,0
3,0	13 pcs.	3,0 x 6,0 x 19,0
4,0	10 pcs.	4,0 x 8,0 x 19,0
5,0	8 pcs.	5,0 x 8,0 x 19,0






# **GRAVUREM-Stamping Wheel 0-9**

Manufactured out of alloy tool steel, nickel plated (rustproof).

Characters and size of character are marked and stained at the front side.

The stamping wheel can also be provided with a handle (300 x 15 mm) against extra-charge.



### **GRAVUREM-Stamping Wheel A-Z**

Manufactured out of alloy tool steel, nickel plated (rustproof).

Characters and size of character are marked and stained at the front side.

The whole alphabet consists out of 3 wheels: 1. wheel: A-I

**Item** No. 170

- 2. wheel: J-R
- 3. wheel: S-Z, &

The stamping wheels can also be provided with handles (300 x 15 mm) against extra-charge.



**Item** No. 171



# **GRAVUREM-Compact** Marker


Small multi-wheel-numberer with a compact and standardized design.

Completely nickel-plated (rustproof) in a plastic box with transparent cover.

The compact marker is provided with a tempered impact handle for manual use or with a shank for use in a press acc. to your requirements.

Available in sizes of character from 1 up to 5mm with 6 wheels. 11-part engraving on each wheel (0-9 and one blank space)









# GRAVUREM

Multi-wheel numberers.



# **GRAVUREM-Prägewerk**

11-part engraving with pin-locking.

Available for manual use (handle with exchangeable punching cap) or mechanical use (shank for installation in a press).


Completely nickel-plated (rustproof).

Available in sizes of character from 2 up to 15mm with 3 up to 10 wheels.

Suitable for marking of all kinds of metal, many kinds of plastics, hard wood etc.

The wheels are usually engraved with numbers 0-9 and on blank space. Other arrangements of engravings acc. to your specification can be manufactured without extra charge.

Item									
No. 190									
Width of t	impre	<u>SS10</u>	on:						
Size of characters	Numbe	r of wh	eels						
mm	3	4	5	6	7	8	9	10	
2	5	7	9	11	13	15	17	19	
3	8	11	14	17	20	23	26	29	
4	9,5	13	16,5	20	23,5	27	30,5	34	
5	11	15	19	23	27	31	35	39	
6	11	15	19	23	27	31	35	39	
8	17	23	29	35	41	47	53	59	
10	20	27	34	41	48	55	62	69	
12	23	31	39	47	55	63	71	79	
15	29	39	49	59	69	79	89	99	





### **GRAVUREM-Multi-wheel numberer**

### 12/13-part engraving with spring-locking.

Available for manual use (tempered impact handle) or mechanical use (shank for installation in a press).

Completely nickel-plated (rustproof).

Available in sizes of character from 2 up to 15 mm with 3 up to 10 wheels.

Suitable for marking of all kinds of metal, many kinds of plastics, hard wood etc.

The wheels are usually engraved with numbers 0-9, /, - and one blank space. Other arrangements of engravings acc. to your specification can be manufactured without extra charge.

#### **Item** No. 191

### Width of impressions

ize of characters	Numbe	er of whe	els						
nm	3	4	5	6	7	8	9	10	
2	7,1	9,8	12,5	15,2	17,9	20,6	23,3	26	
3	8,9	12,2	15,5	18,8	22,1	25,4	28,7	32	
4	12,5	14	21,5	26,0	30,5	35	39,5	44	
5	15,5	21	26,5	32	37,5	43	48,5	54	
6	15,5	21	26,5	32	37,5	43	48,5	54	
8	20	27	34	41	48	55	62	69	
10	24,5	33	41,5	50	58,5	67	75,5	84	
2	26	35	44	53	62	71	80	89	
5	29	39	49	59	69	79	89	99	

# GRAVUREM-Multi-wheel automatic numbering head

Automatic change of numbers (max. 6 digits in one switch).

Available for manual use (tempered stamping head) or mechanical use (shank for installation in a press).

Completely nickel-plated (rustproof).

Available in sizes of characters from 1,5 up to 6mm with 3 up to 12 wheels.

Suitable for marking of all kinds of metal, many kinds of plastics, hard wood etc.

The wheels are usually engraved with numbers 0-9.

#### **Item** No. 192

### Width of impression

ize of characters		ber of v									100	12	1.4		1000	1.6	-		
ım	3	4	5	6	7	8	9	10	11	12		1 3	111.		10.00	1.4	6		
mall frame												Can J	182	1.6	100	1	in		1
-				12,8						26,8	1.1	14.20	-	1.11	Contraction of the	~	~	1	CONSTRACT.
,5				15,5					-	-	1.1.1.2.2	Sec. C.		line.	0.0540	1		0	
,0				17,4			26,8	-	-	-	4.5	ALC: N	10000	1. 2.10	1000				
,5	9,3	12,8	16,3	19,8	23,3	26,8	-	-	-	-	1000	C. M.N	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	101.42	Colorest .				
,0											1000			1111					G1750+
arge frame	11,6	15,9	20,2	24,5	28,8	33,1	37,4	41,7	46,0	_		No.	11.	10	1	1		1	
,0	13,8	18,8	23,8	28,8	33,8	38,8	43,8	-	-	-	1000			1000	1.1.	100			
,0	16,6	22,6	28,6	34,6	40,6	46,6	-	-	-	-	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1. S.	200				
											100	1.7.	1.00	549	-12	1	1		
																			18 1
																			1011





### GRAVUREM

Branding irons and equipment.



# **GRAVUREM-Branding Iron**

Electric heated 220 V – 125 up to 600 W.

For marking of wood, leather, cork, cardboard and plastics.

Small, handy edition for sizes of characters 10 up to 50 mm.

Size of impression (30 x 15 mm) up to (120 x 60 mm) resp. with a diameter of 80 mm.

Engraving with combinations of numbers and letters. Other engravings are available on application.

#### **Item** No. 200

# **GRAVUREM-Branding Iron**

Electric heated 220 V – 550 up to 3000 W. Heavy edition Cast-iron body with handle or shank for use in a press for clean and economical marking.


Strong, screwed on branding-plate engraved in sizes of characters 50 up to 100 mm. Size of impression (105 x 60 mm) up to (300 x 150 mm).

Engraving with combinations of numbers and letters. Special engravings are available on application.

**Item** No. 202









# GRAVUREM-Branding Type Holder

Electric heated 220 V – 125 up to 1500 W.

### With device for exchangeable types of brass.

Especially suited for quick changing combinations of numbers and letters.

Available in sizes of characters from 5 up to 40 mm.





# **GRAVUREM-Branding Types**

Suitable for GRAVUREM-Branding Type Holder.

Manufactured out of brass.

Engraved with numbers, letters and punctuation marks.

Special engravings are available on application.





# **GRAVUREM-Power Regulator**

For regulation and control of the heating power of all GRAVUREM-Branding Irons.

Can be used up to 3000 W duration-power.





For marking the radius of small round pieces.

With integrated multi-wheel-numberer, type holder or die.

Solid construction in powder covered design.









**GRAVUREM Percussion Presses.** 

### **GRAVUREM-Percussion Press FP 600**

### Manual Model:

Max. pressing power: 600 kg (stepless adjustable) Overall height: 500 mm Table size: 100 x 100 mm Weight: 11 kg

#### Pneumatic Model:

Overall height: Table size: Weight:

Max. pressing power: 600 kg (stepless adjustable) 500 mm 100 x 100 mm 14 kg

### **GRAVUREM-Percussion Press FP 3000**

### Manual Model:

Overall height: Table size: Weight:

Max. pressing power: 3000 kg (stepless adjustable) 650 mm 160 x 160 mm 31 kg

### Pneumatic Model:

Max. pressing power: 3000 kg (stepless adjustable) Overall height: 650 mm Table size: 160 x 160 mm Weight: 37 kg

# **GRAVUREM-Federschlagpresse FP 6000**

### Manual Model:

Max. pressing power: 6000 kg (stepless adjustable) 1000 mm Overall height: 220 x 220 mm Table size: Weight: 103 kg

Ausführung für pneumatische Betätigung: Max. pressing power: 6000 kg (stepless adjustable)



